



PB10704

DESCRIPTION

Compression molded 10% polyimide filled PolyTetraFluoroEthylene (PTFE).

TYPICAL PROPERTIES

Property	Test Method	Units	Typical Value
Color	-	-	Dark Yellow
Specific Gravity	ASTM D792	-	1.99
Hardness Shore D	ASTM D2240	Shore D	63 _(peak)
Tensile Strength	ASTM D4745	PSI [MPa]	2,750 [19]
Elongation at Break	ASTM D4745	%	250

REQUIREMENTS

This product meets AMS 3678/13 requirements.