



PB10706

DESCRIPTION

Compression molded 15% polyimide filled PolyTetraFluoroEthylene (PTFE).

TYPICAL PROPERTIES

Property	Test Method	Units	Typical Value
Color	-	-	Dark Yellow
Specific Gravity	ASTM D792	-	1.91
Hardness Shore D	ASTM D2240	Shore D	61 _(peak)
Tensile Strength	ASTM D4745	PSI [MPa]	2,400 [16]
Elongation at Break	ASTM D4745	%	180

REQUIREMENTS

This product meets AMS 3678/16 requirements.